




FEEKER HOUSE
EAST PREFABRICATED HOUSE



THIRD-GENERATION

FEEKER

HENAN FEEKER IMPORT AND EXPORT CO.,LTD.

EAST PREFABRICATED HOUSE

THE MOST PROFESSIONAL
PREFABRICATED HOUSE SUPPLIER

IN THE WORLD

LET US TOGETHER
BUILD
A
HARMONIOUS
EARTH




电话TEL:
+86 15670000024



邮箱EMAIL:
a@feekerholding.com



ADDRESS: Anyang Avenue 74,
Beiguan District, Anyang City, Henan
Province, China



COME FROM EAST

CONTENTS

Contents	02
Container House Introduction.....	03
Purpose to show	05
Details Display	21
Indoor Display.....	25
Product Service Process	27

COMPANY INTRODUCTION

Henan Feeker Import And Export Co.,Ltd. is located in Changle Industrial Park. The company was founded in 2011, mainly produces steel structure, prefabricated house, container house, villa, sandwich panel, interior and exterior insulation board, profiled steel structure and accessories. Business scope includes the design and installation of steel structure engineering, fire engineering design and installation, colorful composite board, colorful pressure plate, production and sales of Z, C, U, H steel section.

The company has two factories. Products are exported to Asia, Africa, the Middle East, Australia and the European Union and other countries and regions.

Our company has an experienced construction team, modern construction machinery, and improved & excellent after-sales service, to ensure the strong backing of the quality of the project. We respects Business philosophy of "quality is the life of us, innovation is our pursuit ", We emphasize research and management in the Enterprise interior, and innovation and sales in the world market, to keep the business healthy and rapid development momentum.

Our mission: to be the most professional supplier and service provider of prefabricated house.

We take innovation bravely, integrity management, win-win cooperation as our responsibility. willing to take the first-class technology, first-class products, first-class business, first class reputation to service for the friends from all over the world.

ADVANTAGE DESCRIPTION

INDUSTRIALIZATION, STANDARDIZATION

PRICE ADVANTAGE

LOWER ENERGY CONSUMPTION

GREEN ENVIRONMENTAL PROTECTION

WATERPROOF PROPERTIES



INDUSTRY STATUS

In the 21st century, with less land available in cities, people have to find new ways of housing and working. The new housing requirements require housing industrialization, scale, lower prices, lower energy consumption, less pollution to bring higher quality housing demand. In this kind of appeal, container houses to arise from the historic moment

THE "FLAT PACKED CONTAINER" GENERATION CONTAINER USE

In view of the advantages mentioned above,
as a new type of product,
container housings are widely used in construction sites, hotels, gatekeepers,
seaview rooms, campsites, cafes,
residential homes and so on

PURPOSE TO SHOW

HENAN FEEKER IMPORT AND EXPORT CO., LTD.

MODEL-1



CONSTRUCTION SITE

CONTAINER HOUSES FLEXIBLE

can be used by single one or multi-combined.
You can use them over and over.
And they are Very convenient to transfer



PURPOSE TO SHOW

HENAN FEEKER IMPORT AND EXPORT CO., LTD.

MODEL-2




SPECIFIC PARAMETERS

住人模块-田园系列

Size: L6058*W2438*H2806mm (20ft)

No	Specification	Description
1	Floor System	Main frame thickness 2.5mm 1.6mm-plastic board/color alternative
2	Columns	Main frame thickness 2.5mm
3	Roof System	Main frame thickness 2.5mm 100mm glass wool - moisture-proof film, PE resin film 1.0mm
4	Wallboard	1150 model, double-sided orange peel wall board, double coated film

Living Module-Pastoral series





PURPOSE TO SHOW


HENAN FEEKER IMPORT AND EXPORT CO., LTD.

MODEL-3



SPECIFIC PARAMETERS		
住人模块-听海系列		
Size: L6058*W2438*H2896mm (20ft)		
No.	Specification	Description
1	Floor System	Main frame thickness2.5mm 1.6mm-plastic board/color alternative
2	Columns	Main frame thickness2.5mm
3	Roof System	Main frame thickness2.5mm 100mm glass wool, moisture-proof film, PE resin film Glass wool 1.0mm
4	Wallboard	1150 model, double-sided orange peel wall board, double coated film


Living Module



PURPOSE TO SHOW

HENAN FEEKER IMPORT AND EXPORT CO., LTD.

MODEL-4



SPECIFIC PARAMETERS		
住人模块-二合一系列A款		
Size: L6058*W2438*H2896mm (20ft)		
No.	Specification	Description
1	Floor System	Main frame thickness2.5mm 1.6mm-plastic board/color alternative
2	Columns	Main frame thickness2.5mm
3	Roof System	Main frame thickness2.5mm 100mm glass wool, moisture-proof film, PE resin film Glass wool 1.0mm
4	Wallboard	1150 model, double-sided orange peel wall board, double coated film

Living Module-A





PURPOSE TO SHOW

HENAN FEEKER IMPORT AND EXPORT CO.,LTD.

MODEL-5



SPECIFIC PARAMETERS		
住人模块-三合一系列B款		
Size: L6058*W2438*H2896mm (20ft)		
No.	Specification	Description
1	Floor System	Main frame thickness2.5mm 1.6mm-plastic board/color alternative
2	Columns	Main frame thickness2.5mm
3	Roof System	Main frame thickness2.5mm 100mm: glass wool, moisture-proof film, PE resin film Glass wool 1.0mm
4	Wallboard	1150 model, double-sided orange peel wall board, double coated film

Living Module-B



PURPOSE TO SHOW

HENAN FEEKER IMPORT AND EXPORT CO.,LTD.

MODEL-6



SPECIFIC PARAMETERS		
住人模块-三合一系列C款		
Size: L6058*W2438*H2896mm (20ft)		
No.	Specification	Description
1	Floor System	Main frame thickness2.5mm 1.6mm-plastic board/color alternative
2	Columns	Main frame thickness2.5mm
3	Roof System	Main frame thickness2.5mm 100mm: glass wool, moisture-proof film, PE resin film Glass wool 1.0mm
4	Wallboard	1150 model, double-sided orange peel wall board, double coated film

Living Module-C





PURPOSE TO SHOW

HENAN FEEKER IMPORT AND EXPORT CO.,LTD.

MODEL-7



SPECIFIC PARAMETERS

住人模块 三合一系列A款

Size: L6058*W2438*H2896mm (20ft)

No.	Specification	Description
1	Floor System	Main frame thickness2.5mm 1.6mm-plastic board/color alternative
2	Columns	Main frame thickness2.5mm
3	Roof System	Main frame thickness2.5mm 100mm glass wool, moisture-proof film, PE resin film 1.0mm
4	Wallboard	1150 model, double-sided orange peel wall board, double coated film

Living Module-A



PURPOSE TO SHOW

HENAN FEEKER IMPORT AND EXPORT CO.,LTD.

MODEL-8




SPECIFIC PARAMETERS

住人模块 二合一系列A款

Size: L6058*W2438*H2896mm (20ft)

No.	Specification	Description
1	Floor System	Main frame thickness2.5mm 1.6mm-plastic board/color alternative
2	Columns	Main frame thickness2.5mm
3	Roof System	Main frame thickness2.5mm 100mm glass wool, moisture-proof film, PE resin film 1.0mm
4	Wallboard	1150 model, double-sided orange peel wall board, double coated film

Living Module-B






PURPOSE TO SHOW

HENAN FEEKER IMPORT AND EXPORT CO.,LTD.

MODEL-9




SPECIFIC PARAMETERS
商用模块-商铺系列-理发店

Size: L6058*W2438*H2806mm (20ft)

No.	Specification	Description
1	Floor System	Main frame thickness2.5mm 1.6mm-plastic board/color alternative
2	Columns	Main frame thickness2.5mm
3	Roof System	Main frame thickness2.5mm glass wool, moisture-proof film, PE resin film
4	Wallboard	1150 model, double-sided orange peel wall board, double coated film

Commercial Space



PURPOSE TO SHOW

HENAN FEEKER IMPORT AND EXPORT CO.,LTD.

MODEL-10




SPECIFIC PARAMETERS
商用模块-商铺系列

Size: L6058*W2438*H2806mm (20ft)

No.	Specification	Description
1	Floor System	Main frame thickness2.5mm 1.6mm-plastic board/color alternative
2	Columns	Main frame thickness2.5mm
3	Roof System	Main frame thickness2.5mm glass wool, moisture-proof film, PE resin film
4	Wallboard	1150 model, double-sided orange peel wall board, double coated film

Commercial Space-Shop series





MODEL-11




SPECIFIC PARAMETERS
商用模块-医院办公室系列

Size: L6058*W2438*H2896mm (20ft)

No.	Specification	Description
1	Floor System	Main frame thickness 2.5mm 1.8mm-plastic board/color alternative
2	Columns	Main frame thickness 2.5mm
3	Roof System	Main frame thickness 2.5mm 100mm glass wool, moisture-proof film, PE resin film 1.0mm
4	Wallboard	1150 model, double-sided orange peel wall board, double coated film

Commercial Space



PURPOSE TO SHOW
HENAN FEEKER IMPORT AND EXPORT CO.,LTD.

MODEL-12



SPECIFIC PARAMETERS
商用模块-医院系列

Size: L6058*W2438*H2896mm (20ft)

No.	Specification	Description
1	Floor System	Main frame thickness 2.5mm 1.8mm-plastic board/color alternative
2	Columns	Main frame thickness 2.5mm
3	Roof System	Main frame thickness 2.5mm 100mm glass wool, moisture-proof film, PE resin film 1.0mm
4	Wallboard	1150 model, double-sided orange peel wall board, double coated film

Commercial Space-Hospital series





MODEL-13



SPECIFIC PARAMETERS		
商用模块-医院病房系列		
Size: L6058*W2438*H2896mm (20ft)		
No.	Specification	Description
1	Floor System	Main frame thickness2.5mm 1.8mm-plastic board/color alternative
2	Columns	Main frame thickness2.5mm
3	Roof System	Main frame thickness2.5mm 100mm glass wool, moisture-proof film PE resin film 1.0mm
4	Wallboard	1150 model, double-sided orange peel wall board, double coated film

Commercial Space-Hospital Ward series



PURPOSE TO SHOW

HENAN FEEKER IMPORT AND EXPORT CO.,LTD.

PURPOSE TO SHOW

HENAN FEEKER IMPORT AND EXPORT CO.,LTD.

MODEL-14



SPECIFIC PARAMETERS		
商用模块-医院隔离室系列		
Size: L6058*W2438*H2896mm (20ft)		
No.	Specification	Description
1	Floor System	Main frame thickness2.5mm 1.8mm-plastic board/color alternative
2	Columns	Main frame thickness2.5mm
3	Roof System	Main frame thickness2.5mm 100mm glass wool, moisture-proof film PE resin film 1.0mm
4	Wallboard	1150 model, double-sided orange peel wall board, double coated film

Commercial Space-Hospital Isolation room series





MODEL-15



SPECIFIC PARAMETERS
商用模块-营地系列

Size: L6058*W2438*H2896mm (20ft)

No.	Specification	Description
1	Floor System	Main frame thickness2.5mm 1.8mm-plastic board,color: alternative
2	Columns	Main frame thickness2.5mm
3	Roof System	Main frame thickness2.5mm 100mm glass wool, moisture-proof film,PE resin film 1.0mm
4	Wallboard	1150 model,double-sided orange peel wall board,double coated film

Commercial Module-Camp series



PURPOSE TO SHOW
HENAN FEEKER IMPORT AND EXPORT CO.,LTD.

MODEL-16



SPECIFIC PARAMETERS
商用模块-医院系列

Size: L6058*W2438*H2896mm (20ft)

No.	Specification	Description
1	Floor System	Main frame thickness2.5mm 1.8mm-plastic board,color: alternative
2	Columns	Main frame thickness2.5mm
3	Roof System	Main frame thickness2.5mm 100mm glass wool, moisture-proof film,PE resin film 1.0mm
4	Wallboard	1150 model,double-sided orange peel wall board,double coated film

Commercial Space-Hospital series



PURPOSE TO SHOW

HENAN FEEKER IMPORT AND EXPORT CO., LTD.



ONE LAYER OF STYLE



VERY STRONG
HIGH STRENGTH TO HOIST
STANDARD STYLE



TWO LAYERS OF STYLE



GATEKEEPER
VERY EASY INSTALLATION
WOOD GRAIN PATTERN



PURPOSE TO SHOW


HENAN FEEKER IMPORT AND EXPORT CO., LTD.


TO SHOW

REFERENCE ATTACHMENT 1-2

HENAN FEEKER IMPORT AND EXPORT CO.,LTD.

20FT-CONTAINER HOUSE CONFIGURATION LIST


Size: L6058*W2438*H2896mm (20ft)				
No.	Items	Picture	Specification	Description
1	Floor System		Main frame	There are 4 main beams and 9 or 14 secondary beams. main beams with advanced electrostatic spraying technology (2.3/2.5/2.7/3.0/3.5)
			Floor system	1.0/1.6/2.0mm pvc/plastic board with glass magnesium board/cement board
2	Columns		Main frame	Columns with advanced electrostatic spraying technology (2.3/2.5/2.7/3.0/3.5)
3	Roof System		Main frame	There are 4 main beams and 7 secondary beams. main beams with advanced electrostatic spraying technology (2.3/2.5/2.7/3.0/3.5)
			Thermal insulation layer	The outer board of the roof is connected with 360° rolled edges, the middle layer is insulation layer, and the bottom layer is PE moisture-proof film
4	Wallboard		Sandwich panels	950/1150 width, 50/75mm thickness, rock wool/glass wool /EPS/ polyurethane insulation layer
5	Doors		High grade steel door	Composite plate door with fire lock

Size: L6058*W2438*H2896mm (20ft)				
No.	Items	Picture	Specification	Description
6	Windows		high grade PVC steel window	size 950*1200/1150*1100mm with screens, hollow glass 3.0 thick plastic-steel, with anti-theft net
7	Ceiling		Ceiling tile	color plate with fluting
8	Electrical Apparatus		Ceiling light	All copper wires of electrical core wires, air conditioning socket 1, common sockets 2, single open switch 1, ceiling light 2, distribution box 1, 32A missed 1, 32A leakage policy breakdown 1, 16A air switch 1, one set of industrial sockets, industrial socket box 1.
			Industrial socket	
9	Accessories		Downspout	ø50mm, L2750mm PVC downspout
			Internal corner folding piece	2500mm color coated board; 12 internal corner angle supports
			Z-piece	5760mm*2 branch 2210mm*2 branch galvanized plate

TO SHOW

REFERENCE ATTACHMENT 1-2

HENAN FEEKER IMPORT AND EXPORT CO.,LTD.



**BASIC
PARAMETER**
SIZE: 6058*2438*2896MM

PURPOSE TO SHOW
HENAN FEEKER IMPORT AND EXPORT CO.,LTD.

INDOOR DISPLAY



OFFICE

use containers to be one office
very nice



CORRIDOR



CORRIDOR

corridor width usually be 1.8m or 2m
it is very clean and
roomy. Where the two containers
are combined, we handle them
with decoration
beautifully



MEETING ROOM

effect of the meeting room is very good




THE TOILET SHOW

The toilet inside



DORMITORY INSIDE

living house inside



PURPOSE TO SHOW

HENAN FEEKER IMPORT AND EXPORT CO.,LTD.

PRODUCT SERVICE PROCESS

1-THE FIRST STEP



2-FACTORY PROCESSING



We communicate with customers, after understanding the needs of customers, then we do the design, budget, quotation, etc. We can provide customers with some Suggestions according to our experience, try to make different customer needs corresponding to different programs, so that customers can maximize their own interests, we are willing to use patience and earnest to serve customers, let customers satisfaction.



STOCK CONTAINER

Our company's product is a new generation of products, also known as the third generation. The third generation of container house has better waterproof performance, strong firmness, convenient flexibility. Our company has a reasonable amount of inventory products, can more effectively meet the urgent project needs

SERVICE TO SHOW

HENAN FEEKER IMPORT AND EXPORT CO.,LTD.

SERVICE TO SHOW

HENAN FEEKER IMPORT AND EXPORT CO.,LTD.

3-TRANSPORT TO SITE



BULK PACKING TYPE
FCL TRANSPORTATION TYPE
OVERALL PACKING TYPE

4-ENGINEERING CONSTRUCTION



Third generation container has very high strength, can be lifted easily by crane, excavator, forklift

The third generation container has fewer scattered parts, and the construction is very simple and easy to understand. Even for inexperienced customers, it can be installed easily. We can provide relevant installation information, and if the project is special, we can also arrange

5-AFTER -SALES SERVICE

Need Me ? Contact me now !



 **Feeker**

 +86 15670000024

 +86 15670000024

 +86 15670000024



BETTER SERVICE

WELCOME TO E-PREFAB

**MISSION:TO BE THE MOST PROFESSIONAL
SUPPLIER AND SERVICE PROVIDER**

SERVICE TO SHOW

HENAN FEEKER IMPORT AND EXPORT CO.,LTD.