



FEEKER HOUSE

The most professional
container house manufacturer

CONTACT US



E-mail
ag@feeker.cn



NUMBER
+86 3517000028



COMPANY ADDRESS:

Henan Anyang Beiguan
No. 07.08.09, Unit 2, Building 3,
Huazhen International
Commercial And Residential Community



www.feekergroup.com

**EXPANDABLE
CONTAINER HOUSE**



E-mail
ag@feeker.cn



NUMBER
+86 3517000028

Our Vision

Assist people to live and work in peace!

CONTENTS

Concept and Feature	P3
Installation procedure.....	P4
Cooperative enterprise	P5
Optional configuration.....	P6
Types and Specifications	P9
Physical display.....	P23
In-room display.....	P25
Bottom Bracket Electrical Wiring....	P24
Materials and parts display.....	P27
Frame	P29
Optional accessory.....	P30
Exterior walls	P31
Carved metal board	P31
Interior wall board	P34
Plastic flooring	P37
Interior finish.....	P39
L-shaped cabinet.....	P39
Toilet	P40
Door.....	P41
Window.....	P42
Power configuration.....	P43
Loading cabinets	P44
Trim strip	P45
Optional home appliance	P46
Off-grid solar systems	P49

ABOUT US


Anyang Feeker Building Materials Co., Ltd. is a leading manufacturer of prefabricated container houses and steel structure buildings in China and worldwide. Founded in 2014 in Anyang, a city with rich historical heritage and steel industry, we have over 100 employees and 15 engineers, advanced equipment, and patented inventions.

Our products are certified and widely used in various applications. We export them to many countries and regions and have a high international reputation.



TYPES AND SPECIFICATIONS

20 FT BASIC CHARACTERISTICS



External Dimensions (mm):

W6320 * L5900 * H2480 (side:2270)

Internal Dimensions (mm):

W6160 * L5560 * H2240 (side:2150)

Folded Dimensions (mm):


W2200 * L5900 * H2480

Total Weight (kg):

Approximately 2500



20ft layout



Please select your desired unit type (✓ in the box)

- ☐ 20FT - 001 ☐ 20FT - 002 ☐ 20FT - 003 ☐ 20FT - 004
☐ 20FT - 005 ☐ 20FT - 006 ☐ 20FT - 007

Custom: _____

30 FT BASIC CHARACTERISTICS

30ft layout



External Dimensions (mm):

W6240 * L9000 * H2480(side: 2180)

Internal Dimensions (mm):


W6200 * L8660H * 2240 (side: 2060)

Folded Dimensions (mm):


W2200 * L9000 * H2480

Total Weight (kg):


Approximately 3750




30FT - 001






30FT - 002




30FT - 003




30FT - 004




30ft layout




30FT - 005




30FT - 006




30FT - 009




30FT - 010



30FT - 007



30FT - 008



30FT - 011

Please select your desired unit type (✓ in the box)

- | | |
|-------------------------------------|-------------------------------------|
| ☐ 30FT - 001 | ☐ 30FT - 002 |
| ☐ 30FT - 003 | ☐ 30FT - 004 |
| ☐ 30FT - 005 | ☐ 30FT - 006 |
| ☐ 30FT - 007 | ☐ 30FT - 008 |
| ☐ 30FT - 009 | ☐ 30FT - 010 |
| ☐ 30FT - 011 | |

Custom: _____

40 FT BASIC CHARACTERISTICS



External Dimensions (mm):

W6240 * L11800 * H2480 (Side: 2180)

Internal Dimensions (mm):




W6080 * L11540 * H2200 (Side: 2060)

Folded Dimensions (mm):


W2200 * L11800 * H2480

Total Weight (kg):


Approximately 4400




40ft layout




40FT - 001




40FT - 002




40FT - 003




40FT - 004




40FT - 005




40FT - 006




40FT - 007




40FT - 011




40FT - 012




40FT - 013




40FT - 008



40FT - 009



40FT - 010



40FT - 014

Please select your desired unit type (✓ in the box)

- | | |
|-------------------------------------|-------------------------------------|
| ☐ 40FT - 001 | ☐ 40FT - 002 |
| ☐ 40FT - 003 | ☐ 40FT - 004 |
| ☐ 40FT - 005 | ☐ 40FT - 006 |
| ☐ 40FT - 007 | ☐ 40FT - 008 |
| ☐ 40FT - 009 | ☐ 40FT - 010 |
| ☐ 40FT - 011 | ☐ 40FT - 012 |
| ☐ 40FT - 013 | ☐ 40FT - 014 |


Custom: _____

20 FT MINI

FEEKER

20ft mini layout

FEEKER



External Dimensions (mm):

W4820 * L5900 * H2480 (side: 2270)

Internal Dimensions (mm):




W4660 * L5560 * H2240 (side: 2150)

Folded Dimensions (mm):


W700 * L5900 * H2480

Total Weight (kg):


Approximately 1850




20FT MINI - 001



20FT MINI - 002



20FT MINI - 003



20FT MINI - 004

Please select your desired unit type (✓ in the box)

☐ 20FT MINI - 001

☐ 20FT MINI - 002

☐ 20FT MINI - 003

☐ 20FT MINI - 004

Custom: _____

10 FT MINI

FEEKER



External Dimensions (mm):

L2950*W6300*H2480

Internal Dimensions (mm):

L2380*W6140*H2240

Folded Dimensions (mm):

L2950*W2200*H2480


Total Weight (kg):

Approximately 1200




10ft mini layout

FEEKER



10FT MINI - 001



10FT MINI - 002

Please select your desired unit type (✓ in the box)

☐ 10FT MINI - 001


☐ 10FT MINI - 002

Custom: _____

EXTERIOR COLOR SELECTION

EXTERIOR WALLS

Decorable metal carved panels



☐ GREY

☐ BLACK

☐ WHITE

Please select the color of your frame.



Brown wood
grain wall panel



White
wall panel



Black gray
wall panel

Bottom Bracket



Whether a Bottom Bracket is needed. ☐

Carved metal board(Optional not required)



D-001
Brick red sand
seven bricks



D-002
Ancient wall grey
seven bricks



D-003
Angel white wood grain
in the oblique ditch



D-004
Chicken wing wood
in oblique groove



D-005A
Cultural stone tablet



D-006
Pine section wood grain
in the straight groove



D-007
Terrazzo elastic
coated plate



D-008
Ivory white
seven bricks



D-009
Slightly purplish yellow
middle oblique groove



D-010
Orange and yellow
elasticated tablet



D-011
Yellow sand
seven bricks



D-012
Yellow sand in the
inclined ditch



D-013
Multi-colored brick
spring-painted plate



D-014
Brick red
sand size brick



D-015
Light brown
sand three brick



D-016
Gray brick white slit
elastic coated flat plate



D-017
Calcium silicate
sandwich



D-018
Polystyrene
sandwich



D-019
Sandwich solid
gold plate



D-020
Graphite core



D-021
Black chicken wing



D-022
Hotan Baoyu tablet



D-023
Sloping gully in desert
yellow elastic Xian grain



D-024
Sesame marble
in the oblique groove



D-025
Yellow chicken wings in
wood grain oblique groove



D-026
Flash water ripple



D-027
Soil-lime slab



D-028
Platinum gray plate



D-030
Cultural stone
marble tablet



D-031
Flash silver gray fine
water ripple plate



S-001
Angel white seven bricks
roll ancient wall ash



S-002
Light brown sand seven
bricks roll orange red



S-003
Light brown sand
roller clay yellow brick



S-004
Angel white roll clay
yellow three bricks



S-005
Light brown sand three
bricks roll orange red



S-006
Light brown sand three
brick roll angel white



S-007
Angel white roll earth
yellow seven bricks



S-008
Light brown sand roll
earth yellow seven bricks



S-009
Angel white seven
bricks roll earth yellow



S-010
Ancient wall grey three
bricks roll angel white



S-011
Beige seven bricks
roll orange red



S-012
Angel white three brick
roller soil yellow



Grey brick white seam
10CM polystyrene
sandwich core



Ancient wall ash three
brick graphite sandwich



polyurethane



Please write down your choice

Exterior walls: _____

INTERIOR WALL BOARD

bamboo and wood fiberboard



Please write down your choice

Exterior walls: _____

PLASTIC FLOORING



062027-40



062028-40



062029-40



062030-40



094202-40



094209-40




094207-40



094208-40



04201-40



04204-40



04205-40



04203-40



092204-40



093201-40



07202-40



07203-40



03203-40



03201-40



03202-40




03208-40



07204-40



07205-40



03206-40



03209-40



022201-40



094206-40

Please write down your choice

Exterior walls: _____

Toilet



Doors and Windows and internal electrical fittings



Acrylic Bathroom



PVC Bathroom



Marble Bathroom



20FT mini dedicated
Integrated bathroom

Please write down your choice

Bathroom model: _____

door



Aluminum Alloy



KFC door



Brige-Cut Aluminum
(black)



Steel door (white)

window

Standard size (customizable): 950mm*1100mm



UPVC



Brige-Cut Aluminum
(black)



Aluminum Alloy



Brige-Cut Aluminum
(white)

Internal electrical distribution




AU
Standard



EUR
Standard



US
Standard



UK
Standard

Please write down your choice

door: _____

window: _____

Internal electrical distribution: _____

OPTIONAL HOME APPLIANCE

OFF-GRID SOLAR SYSTEMS

Toilet



Potty -01

Bathroom sink



Sink cover



Corner sink



Vertical sink

Cabinet

Length can be customized



Milky white



Champagne color



Apple green



Sky blue



Burgundy



Dark gray



Grey L Cabinet



Light blue L Cabinet



Champagne L Cabinet

5000W off grid solar system (case one)

Item	Model	Description	Quantity
1	Solar Panel	Mono 320W	8 pieces
2	Battery	12V 150Ah	4 pieces
3	Controller	48V5000W Inverter	1 piece
4	Inverter	(Built-in MPPT 48V50A controller)	1 piece
5	PV Cable	The standard 4mm2	100 meters
6	MCA connector	1000VDC	8 pieces
7	Mounting Brackets	Roof/Ground	1 piece

Consult a sales consultant for more details



Daily power generation/storage

Power generation	9.2 degrees
Battery storage capacity	1.2 degrees

Support loads

Appliances	air conditioner 1500W	Washing 1000W
Using time	6 hours	5 hours
Appliances	microwave 2000W	water pump 800W
Using time	10 hours	10 hours

Note:
The above data is for reference only. The actual power generation and storage capacity will vary according to the actual situation.
The above data is for reference only. The actual power generation and storage capacity will vary according to the actual situation.

5000W off grid solar system (case two)

Item	Model	Description	Quantity
1	Solar Panel	Mono 320W	10 pieces
2	Battery	12V 200Ah	4 pieces
3	Controller	48V5000W Inverter	1 piece
4	Inverter	(Built-in MPPT 48V50A controller)	1 piece
5	PV Cable	The standard 4mm2	100 meters
6	MCA connector	1000VDC	8 pieces
7	Mounting Brackets	Roof/Ground	1 piece

Consult a sales consultant for more details



Daily power generation/storage

Power generation	16 degrees
Battery storage capacity	6.4 degrees

Support loads

Appliances	air conditioner 1500W	Washing 1000W
Using time	10 hours	10 hours
Appliances	microwave 2000W	water pump 800W
Using time	10 hours	10 hours

Note:
The above data is for reference only. The actual power generation and storage capacity will vary according to the actual situation.
The above data is for reference only. The actual power generation and storage capacity will vary according to the actual situation.

5000W off grid solar system (case three)

Item	Model	Description	Quantity
1	Solar Panel	Mono 320W	16 pieces
2	Battery	12V 150Ah	8 pieces
3	Controller	48V100A	1 piece
4	Inverter	5000W	1 piece
5	PV Cable	The standard 4mm2	100 meters
6	MCA connector	1000VDC	8 pieces
7	Mounting Brackets	Roof/Ground	1 piece

Consult a sales consultant for more details



Daily power generation/storage

Power generation	25.6 degrees
Battery storage capacity	14.4 degrees

Support loads

Appliances	air conditioner 2000W	microwave 1000W
Using time	17 hours	10 hours
Appliances	microwave 2000W	water pump 800W
Using time	17 hours	10 hours

Note:
The above data is for reference only. The actual power generation and storage capacity will vary according to the actual situation.
The above data is for reference only. The actual power generation and storage capacity will vary according to the actual situation.

Please write down your choice

Exterior walls: _____

Please write down your choice

Exterior walls: _____




”

Our Vision


**Assist people to live
and work in peace!**

Apartment type selection


20FT



30FT




40FT



20FT MINI



10FT



Please write down your choice

remark: _____

Select frame color



☐ GREY

☐ BLACK

☐ WHITE

Select exterior panel color (optional)




☐ Brown wood grain wall panel

☐ White wall panel

☐ Black gray wall panel

Select exterior wall panel metal carving board (optional)



Please write down your choice

Exterior walls: _____


Interior wall panel (optional)



Please write down your choice

Inner wall: _____

Floor leather (optional)



Please write down your choice

Floor leather: _____



☐ Acrylic Bathroom ☐ PVC Bathroom ☐ Marble Bathroom ☐ migrated bathroom



Internal glass window



furniture: _____

1: Size - ☐20ft ☐30ft ☐40ft ☐20ft mini ☐10ft

2: Apartment type:_____

3: Frame color:_____

4: Exterior wall panel color:_____

5: Whether the bottom support is required:_____

6: Exterior metal carving board (optional):_____

7: Inner wall panel (optional) (optional):_____

8: Floor leather:_____

9: Bathroom style:_____

10: Door style:_____

11: Window material style:_____

12: Internal electrical distribution:_____

13: Furniture selection (optional) (optional):_____

14: Electrical selection (optional) (optional):_____