



FEEKER HOUSE

The most professional
container house manufacturer

CONTACT US



E-mail
a@feeker.cn



NUMBER
+86 3547000024



COMPANY ADDRESS:

Henna Anyang Beiguan
No. 07.08.09, Unit 2, Building 3,
Huazhen International
Commercial And Residential Community



www.feekergroup.com

**FOLDING
CONTAINER HOUSE**



E-mail
a@feeker.cn



NUMBER
+86 3547000024

Our Vision

Assist people to live and work in peace!

CONTENTS

Folding container house introduction	P3
FEEKER X Waist-fold type.....	P4
Accessories show	P5
FEEKER X PRO Waist-fold type	P6
Accessories show	P7
FEEKER Z NON-Waist-fold type	P8
Accessories show	P9
Optional content	P10
Exterior wall panel color	P10
Floor leather and frame	P11
Project Show	P12
Power configuration	P13
Loading cabinets	P14

ABOUT US

Anyang Feeker Building Materials Co., Ltd. is a leading manufacturer of prefabricated container houses and steel structure buildings in China and worldwide. Founded in 2014 in Anyang, a city with rich historical heritage and steel industry, we have over 100 employees and 15 engineers, advanced equipment, and patented inventions.

Our products are certified and widely used in various applications. We export them to many countries and regions and have a high international reputation.



FOLDING CONTAINER HOUSE INTRODUCTION

FEEKER X WAIST-FOLD TYPE



- The folding container has the **standard modular design** and manufacture and it's environment protective. It's broad-spectrum, widely used in **houses, dormitories, shops, and more.**
- It's **easy to assemble and disassemble**, using a crane to lift the roof corners and then screwing them down. Two people can build one set in **10 minutes**. The easy assembly is the reason why it becomes popular. It is **cost-saving** and transportation convenient.

- The material used is **fireproof** and **heat insulation**. It has a long service life, with a lifespan of **10-15 years**. The folding container is extra-hard, capable of standing **8-grade earthquakes** and **11-grade winds**.

4 STEPS + 10 MINUTES = 1 HOUSE



FEATURES

- Galvanized steel structure.
- 50mm fireproof EPS / EPS sandwich panel for wall.
- 0.476mm steel sheet + 50mm glass wool + steel sheet ceiling for roof.
- Double glass aluminum sliding windows.
- Steel door.
- 38mm MGO board for floor.
- Modern design: Outside with corrugated shape & inside with wooden coating.



FEEKER X

OUTER DIMENSION

5800mm*2480mm*2540mm

OUTER DIMENSION

5640mm*2320mm*2420mm

FOLDED SIZE

5800mm*2480mm*395mm

HEIGHT AFTER FOLDING

52cm

Folding box room wind and cold resistance grade

Waterproof performance	Color roll capping all around with smooth water
Cooling volume	16mm/min without penetration
Wind resistance	0.60kN/m ²
Fireproof performance	Class A (B1 level)
Ground live load	2.0kN/m ²
Seismic performance	Grade 8
Roof live load	1.5kN/m ²



FEEKER X

ACCESSORIES SHOW



FEEKER X

Window and door display



Aluminum Alloy



PVC



Steel Door



Color Steel Sheet



Internal power supply



Restrooms



Flooring leather

FEEKER X PRO

WAIST-FOLD TYPE

FEEKER



FEEKER X PRO

OUTER DIMENSION

5800mm*2450mm*2500mm

OUTER DIMENSION

5610mm*2330mm*2250mm

HEIGHT AFTER FOLDING

52cm



Multiple appearance options

Folding box room wind and cold resistance grade

Waterproof performance	Color roll capping all around with smooth water
Cooling volume	16mm/min without penetration
Wind resistance	0.60kN/m ²
Fireproof performance	Class A (B1 level)
Ground live load	2.0kN/m ²
Seismic performance	Grade 8
Roof live load	1.5kN/m ²

FEEKER X PRO

ACCESSORIES SHOW



Steel Door



Aluminum Alloy

FEEKER X

Window and door display



50 rock wool board



External main power supply



Internal power supply



Roof drainage

FEEKER Z

NON-WAIST-FOLD TYPE



FEEKER Z

OUTER DIMENSION

5950mm*2438mm*2896mm

OUTER DIMENSION

5610mm*2330mm*2250mm

HEIGHT AFTER FOLDING

52cm



4 STEPS + 10 MINUTES = 1 HOUSE

Folding box room wind and cold resistance grade



Waterproof performance	Color roll capping all around with smooth water
Cooling volume	16mm/min without penetration
Wind resistance	0.60kN/m ²
Fireproof performance	Class A (B1 level)
Ground live load	2.0kN/m ²
Seismic performance	Grade 8
Roof live load	1.5kN/m ²

FEEKER Z

ACCESSORIES SHOW

FEEKER

OPTIONAL CONTENT



FEEKER Z

Window and door display



Steel Door



Aluminum Alloy



50 rock wool board



External main power supply



Top drainage tank



Interior ceiling tiles

Exterior wall panel color

WAIST-FOLD TYPE

FEEKER X and FEEKER X PRO



White wall panel

warm white

wood grain brown

Corrugated

Z-FOLDING

FEEKER Z



White wall panel

OPTIONAL CONTENT

Floor leather and frame



A variety of flooring colors to choose from



White

FRAME

More colors can be customized in large quantities



Black



Grey

Project Show



Project showcase for FEEKER X PRO



Project showcase for FEEKER X PRO



Project showcase for FEEKER X



Project showcase for FEEKER Z



Project showcase for FEEKER Z



AU
Standard



US
Standard



EUR
Standard



UK
Standard



FEEKER Z and FEEKER X PRO
8 pcs per container



FEEKER Z and FEEKER X PRO
8 pcs per container



FEEKER X 12 pcs per container



FEEKER X 12 pcs per container



”

Our Vision

**Assist people to live
and work in peace!**